


STREET




NOTE:
 STANDARD RAMP LENGTH = 2.15m TYP.(+) AT CENTER OF RAMP.
 RECOMMENDED RAMP SLOPE = 7.1% ± 1.2 %
 MAX SLOPE = 8.3% (1:12) WHERE TOPOGRAPHY PERMITS.
 ADJUST LENGTH OF RAMP AS REQUIRED.
 WHEN SITE CONDITIONS DO NOT PERMIT TYPICAL LAYOUT,
 CONTACT CITY ENGINEER FOR APPROVAL OF DESIGN.

LANE

ADJUST LENGTH OF RAMPAS REQUIRED.
 WHEN SITE CONDITIONS DO NOT PERMIT
 TYPEICAL LAYOUT CONTACT CITY ENGINEER
 FOR APPROVAL OF DESIGN.

RAMP THICKNESS SHALL TAPER FROM 0.20m
 AT BACK OF CURB TO 0.1m AT BACK OF RAMP



SECTION A-A CURB RAMP

(N.T.S.)

METRIC

CITY OF NORTH VANCOUVER

LANE CURB RAMP DESIGN DETAIL

DRAWN: JN

DATE: JANUARY 2018

DWG.No.

C8R-03

CHECKED: DM/DTM

APPROVED: DTM